


**Skoleteknikk.no**

**NORTOOLS AS** ✓




**HSS & ZIRCON BELAGTE BOR**

Tlf 9202 5565

skoleteknikk@gmail.com


Tlf 6924 1000

# NUI - IZAR HSS BOR DIN338




| BILLIG BOR |              | PRODUKSJONSBOR |  | ZIRCON BOR |        |               |
|------------|--------------|----------------|--|------------|--------|---------------|
| BOR DIAM   | SKJÆR LENGDE | TOTAL LENGDE   |  | BOR 1010   | BOR 63 | BOR 1015 ZIRC |
| 1,00       | 12           | 34             |  |            | #      |               |
| 1,10       | 14           | 36             |  |            | #      |               |
| 1,20       | 16           | 38             |  |            | #      |               |
| 1,30       | 16           | 38             |  |            | #      |               |
| 1,40       | 18           | 40             |  |            | #      |               |
| 1,50       | 18           | 40             |  |            | #      |               |
| 1,60       | 20           | 43             |  |            | #      |               |
| 1,70       | 20           | 43             |  |            | #      |               |
| 1,80       | 22           | 46             |  |            | #      |               |
| 1,90       | 22           | 46             |  |            | #      |               |
| 2,00       | 24           | 49             |  | #          | #      |               |
| 2,10       | 24           | 49             |  |            | #      |               |
| 2,20       | 27           | 53             |  |            | #      |               |
| 2,30       | 27           | 53             |  |            | #      |               |
| 2,40       | 30           | 57             |  |            | #      |               |
| 2,50       | 30           | 57             |  | #          | #      |               |
| 2,60       | 30           | 57             |  |            | #      |               |
| 2,70       | 33           | 61             |  |            | #      |               |
| 2,80       | 33           | 61             |  |            | #      |               |
| 2,90       | 33           | 61             |  |            | #      |               |
| 3,00       | 33           | 61             |  | #          | #      | #             |
| 3,10       | 36           | 65             |  |            | #      |               |
| 3,20       | 36           | 65             |  |            | #      |               |
| 3,30       | 36           | 65             |  | #          | #      | #             |
| 3,40       | 39           | 70             |  |            | #      |               |
| 3,50       | 39           | 70             |  | #          | #      | #             |
| 3,60       | 39           | 70             |  |            | #      |               |
| 3,70       | 39           | 70             |  |            | #      |               |
| 3,80       | 43           | 75             |  |            | #      |               |
| 3,90       | 43           | 75             |  |            | #      |               |
| 4,00       | 43           | 75             |  | #          | #      | #             |
| 4,10       | 43           | 75             |  |            | #      |               |
| 4,20       | 43           | 75             |  | #          | #      | #             |
| 4,30       | 47           | 80             |  |            | #      |               |
| 4,40       | 47           | 80             |  |            | #      |               |
| 4,50       | 47           | 80             |  | #          | #      | #             |

# NUI - IZAR HSS BOR DIN338




| BILLIG BOR |              | PRODUKSJONSBOR |  | ZIRCON BOR |        |               |
|------------|--------------|----------------|--|------------|--------|---------------|
| BOR DIAM   | SKJÆR LENGDE | TOTAL LENGDE   |  | BOR 1010   | BOR 63 | BOR 1015 ZIRC |
| 4,30       | 47           | 80             |  |            | #      |               |
| 4,40       | 47           | 80             |  |            | #      |               |
| 4,50       | 47           | 80             |  | #          | #      | #             |
| 4,60       | 47           | 80             |  |            | #      |               |
| 4,70       | 47           | 80             |  |            | #      |               |
| 4,80       | 52           | 86             |  |            | #      |               |
| 4,90       | 52           | 86             |  |            | #      |               |
| 5,00       | 52           | 86             |  | #          | #      | #             |
| 5,10       | 52           | 86             |  |            | #      |               |
| 5,20       | 52           | 86             |  |            | #      |               |
| 5,30       | 52           | 86             |  |            | #      |               |
| 5,40       | 57           | 93             |  |            | #      |               |
| 5,50       | 57           | 93             |  | #          | #      | #             |
| 5,60       | 57           | 93             |  |            | #      |               |
| 5,70       | 57           | 93             |  |            | #      |               |
| 5,80       | 57           | 93             |  |            | #      |               |
| 5,90       | 57           | 93             |  |            | #      |               |
| 6,00       | 57           | 93             |  | #          | #      | #             |
| 6,10       | 63           | 101            |  |            | #      |               |
| 6,20       | 63           | 101            |  |            | #      |               |
| 6,30       | 63           | 101            |  |            | #      |               |
| 6,40       | 63           | 101            |  |            | #      |               |
| 6,50       | 63           | 101            |  | #          | #      | #             |
| 6,60       | 63           | 101            |  |            | #      |               |
| 6,70       | 63           | 101            |  |            | #      |               |
| 6,75       | 69           | 109            |  |            | #      |               |
| 6,80       | 69           | 109            |  | #          | #      | #             |
| 6,90       | 69           | 109            |  |            | #      |               |
| 7,00       | 69           | 109            |  | #          | #      | #             |
| 7,10       | 69           | 109            |  |            | #      |               |
| 7,20       | 69           | 109            |  |            | #      |               |
| 7,30       | 69           | 109            |  |            | #      |               |
| 7,40       | 69           | 109            |  |            | #      |               |
| 7,50       | 69           | 109            |  | #          | #      | #             |
| 7,60       | 75           | 117            |  |            | #      |               |
| 7,70       | 75           | 117            |  |            | #      |               |
| 7,80       | 75           | 117            |  |            | #      |               |
| 7,90       | 75           | 117            |  |            | #      |               |

# NUI - IZAR HSS BOR DIN338




| BILLIG BOR |              | PRODUKSJONSBOR |  | ZIRCON BOR |        |               |
|------------|--------------|----------------|--|------------|--------|---------------|
| BOR DIAM   | SKJÆR LENGDE | TOTAL LENGDE   |  | BOR 1010   | BOR 63 | BOR 1015 ZIRC |
| 8,0        | 75           | 117            |  |            | #      |               |
| 8,1        | 75           | 117            |  |            | #      |               |
| 8,2        | 75           | 117            |  |            | #      |               |
| 8,3        | 75           | 117            |  |            | #      |               |
| 8,4        | 75           | 117            |  |            | #      |               |
| 8,5        | 75           | 117            |  | #          | #      | #             |
| 8,6        | 81           | 125            |  |            | #      |               |
| 8,7        | 81           | 125            |  |            | #      |               |
| 8,8        | 81           | 125            |  |            | #      |               |
| 8,9        | 81           | 125            |  |            | #      |               |
| 9,0        | 81           | 125            |  | #          | #      | #             |
| 9,1        | 81           | 125            |  |            | #      |               |
| 9,2        | 81           | 125            |  |            | #      |               |
| 9,3        | 81           | 125            |  |            | #      |               |
| 9,4        | 81           | 125            |  |            | #      |               |
| 9,5        | 81           | 125            |  | #          | #      | #             |
| 9,6        | 87           | 133            |  |            | #      |               |
| 9,7        | 87           | 133            |  |            | #      |               |
| 9,8        | 87           | 133            |  |            | #      |               |
| 9,9        | 87           | 133            |  |            | #      |               |
| 10,0       | 87           | 133            |  | #          | #      | #             |
| 10,1       | 87           | 133            |  |            | #      |               |
| 10,2       | 87           | 133            |  | #          | #      | #             |
| 10,3       | 87           | 133            |  |            | #      |               |
| 10,4       | 87           | 133            |  |            | #      |               |
| 10,5       | 87           | 133            |  | #          | #      | #             |
| 10,6       | 87           | 133            |  |            | #      |               |
| 10,7       | 94           | 142            |  |            | #      |               |
| 10,8       | 94           | 142            |  |            | #      |               |
| 10,9       | 94           | 142            |  |            | #      |               |
| 11,0       | 94           | 142            |  | #          | #      | #             |
| 11,1       | 94           | 142            |  |            | #      |               |
| 11,2       | 94           | 142            |  |            | #      |               |
| 11,3       | 94           | 142            |  |            | #      |               |
| 11,4       | 94           | 142            |  |            | #      |               |
| 11,5       | 94           | 142            |  |            | #      |               |

# NUI - IZAR HSS BOR DIN338




| BILLIG BOR |              |              | PRODUKSJONSBOR |          | ZIRCON BOR |               |
|------------|--------------|--------------|----------------|----------|------------|---------------|
| BOR DIAM   | SKJÆR LENGDE | TOTAL LENGDE |                | BOR 1010 | BOR 63     | BOR 1015 ZIRC |
| 11,5       | 94           | 142          |                |          | #          |               |
| 11,6       | 94           | 142          |                |          | #          |               |
| 11,7       | 94           | 142          |                |          | #          |               |
| 11,8       | 94           | 142          |                |          | #          |               |
| 11,9       | 101          | 151          |                |          | #          |               |
| 12,0       | 101          | 151          |                | #        | #          | #             |
| 12,1       | 101          | 151          |                |          | #          |               |
| 12,2       | 101          | 151          |                |          | #          |               |
| 12,3       | 101          | 151          |                |          | #          |               |
| 12,4       | 101          | 151          |                |          | #          |               |
| 12,5       | 101          | 151          |                |          | #          |               |
| 12,6       | 101          | 151          |                |          | #          |               |
| 12,7       | 101          | 151          |                |          | #          |               |
| 12,8       | 101          | 151          |                |          | #          |               |
| 12,9       | 101          | 151          |                |          | #          |               |
| 13,0       | 101          | 151          |                |          | #          |               |

# WED - IZAR HSS STUBB DIN1897




| FUTURA BELAGT |              |              | STUBBOR |  |             |            |
|---------------|--------------|--------------|---------|--|-------------|------------|
| BOR DIAM      | SKJÆR LENGDE | TOTAL LENGDE |         |  | STUBB 121.4 | STUBB 1050 |
| 2,50          | 14           | 43           |         |  | #           | #          |
| 2,60          | 14           | 43           |         |  | #           | #          |
| 2,70          | 16           | 46           |         |  | #           | #          |
| 2,80          | 16           | 46           |         |  | #           | #          |
| 2,90          | 16           | 46           |         |  | #           | #          |
| 3,00          | 16           | 46           |         |  | #           | #          |
| 3,10          | 18           | 49           |         |  | #           | #          |
| 3,20          | 18           | 49           |         |  | #           | #          |
| 3,30          | 18           | 49           |         |  | #           | #          |
| 3,40          | 20           | 52           |         |  | #           | #          |
| 3,50          | 20           | 52           |         |  | #           | #          |
| 3,60          | 20           | 52           |         |  | #           | #          |
| 3,70          | 20           | 52           |         |  | #           | #          |
| 3,80          | 22           | 55           |         |  | #           | #          |
| 3,90          | 22           | 55           |         |  | #           | #          |
| 4,00          | 22           | 55           |         |  | #           | #          |
| 4,10          | 22           | 55           |         |  | #           | #          |
| 4,20          | 22           | 55           |         |  | #           | #          |
| 4,30          | 24           | 58           |         |  | #           | #          |
| 4,40          | 24           | 58           |         |  | #           | #          |
| 4,50          | 24           | 58           |         |  | #           | #          |
| 4,60          | 24           | 58           |         |  | #           | #          |
| 4,70          | 24           | 58           |         |  | #           | #          |
| 4,80          | 26           | 62           |         |  | #           | #          |
| 4,90          | 26           | 62           |         |  | #           | #          |
| 5,00          | 26           | 62           |         |  | #           | #          |
| 5,10          | 26           | 62           |         |  | #           | #          |
| 5,20          | 26           | 62           |         |  | #           | #          |
| 5,30          | 26           | 62           |         |  | #           | #          |
| 5,40          | 28           | 66           |         |  | #           | #          |
| 5,50          | 28           | 66           |         |  | #           | #          |
| 5,60          | 28           | 66           |         |  | #           | #          |
| 5,70          | 28           | 66           |         |  | #           | #          |
| 5,80          | 28           | 66           |         |  | #           | #          |
| 5,90          | 28           | 66           |         |  | #           | #          |

# NUI - IZAR HSS BOR DIN1897



|          |              |              | FUTURA BELAGT |  | STUBB BOR    |            |
|----------|--------------|--------------|---------------|--|--------------|------------|
| BOR DIAM | SKJÆR LENGDE | TOTAL LENGDE |               |  | STTUBB 121.4 | STUBB 1050 |
| 6,0      | 28           | 66           |               |  | #            | #          |
| 6,1      | 31           | 70           |               |  | #            | #          |
| 6,2      | 31           | 70           |               |  | #            | #          |
| 6,3      | 31           | 70           |               |  | #            | #          |
| 6,4      | 31           | 70           |               |  | #            | #          |
| 6,5      | 31           | 70           |               |  | #            | #          |
| 6,6      | 31           | 70           |               |  | #            | #          |
| 6,7      | 31           | 70           |               |  | #            | #          |
| 6,8      | 34           | 74           |               |  | #            | #          |
| 6,9      | 34           | 74           |               |  | #            | ?          |
| 7,0      | 34           | 74           |               |  | #            | #          |
| 7,1      | 34           | 74           |               |  | #            | ?          |
| 7,2      | 34           | 74           |               |  | #            | #          |
| 7,3      | 34           | 74           |               |  | #            | ?          |
| 7,4      | 34           | 74           |               |  | #            | #          |
| 7,5      | 34           | 74           |               |  | #            | #          |
| 7,6      | 37           | 79           |               |  | #            | ?          |
| 7,7      | 37           | 79           |               |  | #            | ?          |
| 7,8      | 37           | 79           |               |  | #            | #          |
| 7,9      | 37           | 79           |               |  | #            | ?          |
| 8,0      | 37           | 79           |               |  | #            | #          |
| 8,1      | 37           | 79           |               |  | #            | ?          |
| 8,2      | 37           | 79           |               |  | #            | ?          |
| 8,3      | 37           | 79           |               |  | #            | ?          |
| 8,4      | 37           | 79           |               |  | #            | #          |
| 8,5      | 37           | 79           |               |  | #            | #          |
| 8,6      | 40           | 84           |               |  | #            | ?          |
| 8,7      | 40           | 84           |               |  | #            | ?          |
| 8,8      | 40           | 84           |               |  | #            | ?          |
| 8,9      | 40           | 84           |               |  | #            | ?          |

# NUI - IZAR HSS BOR DIN1897




|          |              |              | FUTURA BELAGT | STUBB BOR |             |            |
|----------|--------------|--------------|---------------|-----------|-------------|------------|
| BOR DIAM | SKJÆR LENGDE | TOTAL LENGDE |               |           | STUBB 121.4 | STUBB 1050 |
| 9,0      | 40           | 84           |               |           | #           | #          |
| 9,1      | 40           | 84           |               |           | #           | #          |
| 9,2      | 40           | 84           |               |           | #           | ?          |
| 9,3      | 43           | 89           |               |           | #           | ?          |
| 9,4      | 43           | 89           |               |           | #           | ?          |
| 9,5      | 43           | 89           |               |           | #           | #          |
| 9,6      | 43           | 89           |               |           | #           | ?          |
| 9,7      | 43           | 89           |               |           | #           | ?          |
| 9,8      | 43           | 89           |               |           | #           | ?          |
| 9,9      | 43           | 89           |               |           | #           | ?          |
| 10,0     | 43           | 89           |               |           | #           | #          |
| 10,2     | 43           | 89           |               |           | #           | #          |
| 10,3     | 43           | 89           |               |           | #           | ?          |
| 10,4     | 43           | 89           |               |           | #           | ?          |
| 10,5     | 43           | 89           |               |           | #           | #          |
| 11,0     | 47           | 95           |               |           | #           | #          |
| 11,5     | 47           | 95           |               |           | #           | #          |
| 12,0     | 51           | 102          |               |           | #           | #          |
| 12,5     | 51           | 102          |               |           | #           | #          |
| 13,0     | 51           | 102          |               |           | #           | #          |

Tilgjengelig opptil Ø 20,0




# NUI - IZAR HSS BOR DIN340




| MEDIUM LENGDE |              |              | PRODUKSJOSBOR |  |              |          |
|---------------|--------------|--------------|---------------|--|--------------|----------|
| BOR DIAM      | SKJÆR LENGDE | TOTAL LENGDE |               |  | 117.4 FUTURA | BOR 1030 |
| 1,00          | 33           | 56           |               |  |              | #        |
| 1,20          | 41           | 65           |               |  |              | ?        |
| 1,30          | 41           | 65           |               |  |              | ?        |
| 1,40          | 45           | 70           |               |  |              | ?        |
| 1,50          | 45           | 70           |               |  |              | #        |
| 1,60          | 50           | 76           |               |  |              | ?        |
| 1,70          | 50           | 76           |               |  |              | ?        |
| 1,80          | 53           | 80           |               |  |              | ?        |
| 1,90          | 53           | 80           |               |  |              | ?        |
| 2,00          | 56           | 85           |               |  |              | #        |
| 2,10          | 56           | 85           |               |  |              | ?        |
| 2,20          | 59           | 90           |               |  |              | ?        |
| 2,30          | 59           | 90           |               |  |              | ?        |
| 2,40          | 62           | 95           |               |  |              | ?        |
| 2,50          | 62           | 95           |               |  | #            | #        |
| 2,60          | 62           | 95           |               |  |              | ?        |
| 2,70          | 66           | 100          |               |  |              | ?        |
| 2,80          | 66           | 100          |               |  |              | ?        |
| 2,90          | 66           | 100          |               |  |              | ?        |
| 3,00          | 66           | 100          |               |  | #            | #        |
| 3,10          | 69           | 106          |               |  | #            | ?        |
| 3,20          | 69           | 106          |               |  | #            | ?        |
| 3,30          | 69           | 106          |               |  | #            | ?        |
| 3,40          | 73           | 112          |               |  | #            | ?        |
| 3,50          | 73           | 112          |               |  | #            | #        |
| 3,60          | 73           | 112          |               |  | #            | ?        |
| 3,70          | 73           | 112          |               |  | #            | ?        |
| 3,80          | 78           | 119          |               |  | #            | ?        |
| 3,90          | 78           | 119          |               |  | #            | ?        |
| 4,00          | 78           | 119          |               |  | #            | #        |

# NUI - IZAR HSS BOR DIN340



|          |              |              | MEDIUM LENGDE | PRODUKSJOSBOR |              |          |
|----------|--------------|--------------|---------------|---------------|--------------|----------|
| BOR DIAM | SKJÆR LENGDE | TOTAL LENGDE |               |               | 117.4 FUTURA | BOR 1030 |
| 4,10     | 78           | 119          |               |               | #            | ?        |
| 4,20     | 78           | 119          |               |               | #            | #        |
| 4,30     | 82           | 126          |               |               | #            | ?        |
| 4,40     | 82           | 126          |               |               | #            | ?        |
| 4,50     | 82           | 126          |               |               | #            | #        |
| 4,60     | 82           | 126          |               |               | #            | ?        |
| 4,70     | 82           | 126          |               |               | #            | ?        |
| 4,80     | 87           | 132          |               |               | #            | ?        |
| 4,90     | 87           | 132          |               |               | #            | ?        |
| 5,00     | 87           | 132          |               |               | #            | #        |
| 5,10     | 87           | 132          |               |               | #            | ?        |
| 5,20     | 87           | 132          |               |               | #            | ?        |
| 5,30     | 87           | 132          |               |               | #            | ?        |
| 5,40     | 91           | 139          |               |               | #            | ?        |
| 5,50     | 91           | 139          |               |               | #            | ?        |
| 5,60     | 91           | 139          |               |               | #            | ?        |
| 5,70     | 91           | 139          |               |               | #            | ?        |
| 5,80     | 91           | 139          |               |               | #            | ?        |
| 5,90     | 91           | 139          |               |               | #            | ?        |
| 6,00     | 91           | 139          |               |               | #            | #        |
| 6,10     | 97           | 148          |               |               | #            | ?        |
| 6,20     | 97           | 148          |               |               | #            | ?        |
| 6,30     | 97           | 148          |               |               | #            | ?        |
| 6,40     | 97           | 148          |               |               | #            | ?        |
| 6,50     | 97           | 148          |               |               | #            | ?        |
| 6,60     | 97           | 148          |               |               | #            | ?        |
| 6,70     | 97           | 148          |               |               | #            | ?        |
| 6,80     | 102          | 156          |               |               | #            | #        |
| 6,90     | 102          | 156          |               |               | #            | ?        |
| 7,00     | 102          | 156          |               |               | #            | #        |


# NUI - IZAR HSS BOR DIN340



|  |               |                |
|--|---------------|----------------|
|  | MEDIUM LENGDE | PRODUKSJONSBOR |
|--|---------------|----------------|

| BOR DIAM | SKJÆR LENGDE | TOTAL LENGDE |  |  | 117.4 FUTURA | BOR 1030 |
|----------|--------------|--------------|--|--|--------------|----------|
| 7,1      | 102          | 156          |  |  | #            | ?        |
| 7,2      | 102          | 156          |  |  | #            | ?        |
| 7,3      | 102          | 156          |  |  | #            | ?        |
| 7,4      | 102          | 156          |  |  | #            | ?        |
| 7,5      | 102          | 156          |  |  | #            | ?        |
| 7,6      | 109          | 165          |  |  | #            | ?        |
| 7,7      | 109          | 165          |  |  | #            | ?        |
| 7,8      | 109          | 165          |  |  | #            | ?        |
| 7,9      | 109          | 165          |  |  | #            | ?        |
| 8,0      | 109          | 165          |  |  | #            | #        |
| 8,1      | 109          | 165          |  |  | #            | ?        |
| 8,2      | 109          | 165          |  |  | #            | ?        |
| 8,3      | 109          | 165          |  |  | #            | ?        |
| 8,4      | 109          | 165          |  |  | #            | ?        |
| 8,5      | 109          | 165          |  |  | #            | #        |
| 8,6      | 115          | 175          |  |  | #            | ?        |
| 8,7      | 115          | 175          |  |  | #            | ?        |
| 8,8      | 115          | 175          |  |  | #            | ?        |
| 8,9      | 115          | 175          |  |  | #            | ?        |
| 9,0      | 115          | 175          |  |  | #            | ?        |
| 9,1      | 115          | 175          |  |  | #            | ?        |
| 9,2      | 115          | 175          |  |  | #            | ?        |
| 9,3      | 115          | 175          |  |  | #            | ?        |
| 9,4      | 115          | 175          |  |  | #            | ?        |
| 9,5      | 115          | 175          |  |  | #            | ?        |
| 9,6      | 121          | 184          |  |  | #            | ?        |
| 9,7      | 121          | 184          |  |  | #            | ?        |
| 9,8      | 121          | 184          |  |  | #            | ?        |
| 9,9      | 121          | 184          |  |  | #            | ?        |
| 10,0     | 121          | 184          |  |  | #            | #        |


# NUI - IZAR HSS BOR DIN340



| MEDIUM LENGDE |              |              | PRODUKSJONSBOR |  |              |          |
|---------------|--------------|--------------|----------------|--|--------------|----------|
| BOR DIAM      | SKJÆR LENGDE | TOTAL LENGDE |                |  | 117.4 FUTURA | BOR 1030 |
| 10,1          | 121          | 184          |                |  | #            | ?        |
| 10,2          | 121          | 184          |                |  | #            | #        |
| 10,3          | 121          | 184          |                |  | #            | ?        |
| 10,4          | 121          | 184          |                |  | #            | ?        |
| 10,5          | 121          | 184          |                |  | #            | ?        |
| 10,6          | 121          | 184          |                |  | #            | ?        |
| 10,7          | 128          | 195          |                |  | #            | ?        |
| 10,8          | 128          | 195          |                |  | #            | ?        |
| 10,9          | 128          | 195          |                |  | #            | ?        |
| 11,0          | 128          | 195          |                |  | #            | ?        |
| 11,1          | 128          | 195          |                |  | #            | ?        |
| 11,2          | 128          | 195          |                |  | #            | ?        |
| 11,3          | 128          | 195          |                |  | #            | ?        |
| 11,4          | 128          | 195          |                |  | #            | ?        |
| 11,5          | 128          | 195          |                |  | #            | ?        |
| 11,6          | 128          | 195          |                |  | #            | ?        |
| 11,7          | 128          | 195          |                |  | #            | ?        |
| 11,8          | 128          | 195          |                |  | #            | ?        |
| 11,9          | 134          | 205          |                |  | #            | ?        |
| 12,0          | 134          | 205          |                |  | #            | ?        |
| 12,1          | 134          | 205          |                |  | #            | ?        |
| 12,2          | 134          | 205          |                |  | #            | ?        |
| 12,3          | 134          | 205          |                |  | #            | ?        |
| 12,4          | 134          | 205          |                |  | #            | ?        |
| 12,5          | 134          | 205          |                |  | #            | ?        |
| 12,6          | 134          | 205          |                |  | #            | ?        |
| 12,7          | 134          | 205          |                |  | #            | ?        |
| 12,8          | 134          | 205          |                |  | #            | ?        |
| 12,9          | 134          | 205          |                |  | #            | ?        |
| 13,0          | 134          | 205          |                |  | #            | ?        |


Tilgjengelig opptil Ø 20,0

# NUI - IZAR HSS BOR DIN1869




|          |              |              | DYPHULLSBOR | PRODUKSJONSBOR |  |          |
|----------|--------------|--------------|-------------|----------------|--|----------|
| BOR DIAM | SKJÆR LENGDE | TOTAL LENGDE |             |                |  | BOR 1040 |
| 2,0      | 85           | 125          |             |                |  | #        |
| 2,25     | 90           | 135          |             |                |  | ?        |
| 2,5      | 95           | 140          |             |                |  | #        |
| 3,0      | 100          | 150          |             |                |  | #        |
| 3,0      | 136          | 190          |             |                |  | #        |
| 3,25     | 105          | 155          |             |                |  | ?        |
| 3,5      | 115          | 165          |             |                |  | #        |
| 3,5      | 145          | 210          |             |                |  | #        |
| 3,5      | 180          | 265          |             |                |  | #        |
| 3,75     | 115          | 155          |             |                |  | ?        |
| 4,0      | 120          | 175          |             |                |  | #        |
| 4,0      | 150          | 220          |             |                |  | #        |
| 4,0      | 190          | 280          |             |                |  | #        |
| 4,5      | 125          | 180          |             |                |  | #        |
| 4,5      | 160          | 235          |             |                |  | #        |
| 4,5      | 200          | 295          |             |                |  | #        |
| 5,0      | 135          | 195          |             |                |  | #        |
| 5,0      | 170          | 245          |             |                |  | #        |
| 5,0      | 210          | 315          |             |                |  | #        |
| 5,0      | 400          | 500          |             |                |  |          |

# NUI - IZAR HSS BOR




|          |              | DYPHULLSBOR  |  | PRODUKSJONSBOR |  |          |
|----------|--------------|--------------|--|----------------|--|----------|
| BOR DIAM | SKJÆR LENGDE | TOTAL LENGDE |  |                |  | BOR 1040 |
| 5,5      | 140          | 205          |  |                |  | #        |
| 5,5      | 180          | 260          |  |                |  | #        |
| 5,5      | 225          | 330          |  |                |  | #        |
| 6,0      | 140          | 205          |  |                |  | #        |
| 6,0      | 180          | 260          |  |                |  | #        |
| 6,0      | 225          | 330          |  |                |  | #        |
| 6,0      | 400          | 500          |  |                |  | #        |
| 6,5      | 150          | 215          |  |                |  | #        |
| 6,5      | 190          | 275          |  |                |  | #        |
| 6,5      | 235          | 350          |  |                |  | #        |
| 7,0      | 155          | 225          |  |                |  | #        |
| 7,0      | 200          | 290          |  |                |  | #        |
| 7,0      | 250          | 370          |  |                |  | #        |
| 7,5      | 155          | 225          |  |                |  | ?        |
| 7,5      | 200          | 290          |  |                |  | ?        |
| 7,5      | 250          | 370          |  |                |  | ?        |
| 8,0      | 165          | 240          |  |                |  | #        |
| 8,0      | 210          | 305          |  |                |  | #        |
| 8,0      | 265          | 390          |  |                |  | #        |
| 8,0      | 400          | 500          |  |                |  |          |
| 8,5      | 165          | 240          |  |                |  | #        |
| 8,5      | 210          | 305          |  |                |  | #        |
| 8,5      | 265          | 390          |  |                |  | #        |
| 9,0      | 175          | 250          |  |                |  | #        |
| 9,0      | 220          | 320          |  |                |  | #        |
| 9,0      | 280          | 410          |  |                |  | #        |
| 9,5      | 175          | 250          |  |                |  | ?        |
| 9,5      | 220          | 320          |  |                |  | ?        |
| 9,5      | 280          | 410          |  |                |  | ?        |

# NUI - IZAR HSS BOR



|          |              | DYPHULLSBOR  |  | PRODUKSJONSBOR |  |          |
|----------|--------------|--------------|--|----------------|--|----------|
| BOR DIAM | SKJÆR LENGDE | TOTAL LENGDE |  |                |  | BOR 1040 |
| 10,0     | 185          | 265          |  |                |  | #        |
| 10,0     | 235          | 340          |  |                |  | #        |
| 10,0     | 295          | 430          |  |                |  | #        |
| 10,5     | 185          | 265          |  |                |  | ?        |
| 10,5     | 235          | 340          |  |                |  | ?        |
| 10,5     | 295          | 430          |  |                |  | ?        |
| 11,0     | 195          | 280          |  |                |  | #        |
| 11,0     | 250          | 365          |  |                |  | ?        |
| 11,0     | 310          | 455          |  |                |  | ?        |
| 12,0     | 205          | 295          |  |                |  | #        |
| 12,0     | 260          | 375          |  |                |  | ?        |
| 12,0     | 330          | 480          |  |                |  | ?        |
| 13,0     | 205          | 295          |  |                |  | ?        |
| 13,0     | 260          | 375          |  |                |  | ?        |


# NUI - IZAR HSS BOR DIN345



| BILLIG BOR |              |              | PRODUKSJONSBOR |  |        |          |
|------------|--------------|--------------|----------------|--|--------|----------|
| BOR DIAM   | SKJÆR LENGDE | TOTAL LENGDE |                |  | BOR 64 | BOR 1110 |
| 12,0       | 100          | 180          |                |  | #      | #        |
| 12,5       | 100          | 180          |                |  | #      | #        |
| 13,0       | 100          | 180          |                |  | #      | #        |
| 13,5       | 110          | 190          |                |  | #      | #        |
| 14,0       | 110          | 190          |                |  | #      | #        |
| 14,5       | 115          | 215          |                |  | #      | #        |
| 15,0       | 115          | 215          |                |  | #      | #        |
| 15,5       | 120          | 220          |                |  | #      | #        |
| 16,0       | 125          | 225          |                |  | #      | #        |
| 16,5       | 125          | 225          |                |  | #      | #        |
| 17,0       | 125          | 225          |                |  | #      | #        |
| 17,5       | 130          | 230          |                |  | #      | #        |
| 18,0       | 130          | 230          |                |  | #      | #        |
| 18,5       | 135          | 235          |                |  | #      | #        |
| 19,0       | 135          | 235          |                |  | #      | #        |
| 19,5       | 140          | 240          |                |  | #      | #        |
| 20,0       | 140          | 240          |                |  | #      | #        |
| 20,5       | 145          | 245          |                |  | #      | #        |
| 21,0       | 145          | 245          |                |  | #      | #        |
| 21,5       | 150          | 250          |                |  | #      | #        |
| 22,0       | 150          | 250          |                |  | #      | #        |
| 22,5       | 155          | 255          |                |  | #      | #        |
| 23,0       | 155          | 255          |                |  | #      | #        |
| 23,5       | 155          | 275          |                |  | #      | #        |
| 24,0       | 160          | 280          |                |  | #      | #        |
| 24,5       | 160          | 280          |                |  | #      | #        |
| 25,0       | 160          | 280          |                |  | #      | #        |
| 25,5       | 165          | 285          |                |  | #      | #        |
| 26,0       | 165          | 285          |                |  | #      | #        |
| 26,5       | 165          | 285          |                |  | #      | #        |
| 27,0       | 170          | 290          |                |  | #      | #        |
| 27,5       | 170          | 290          |                |  | #      | #        |
| 28,0       | 170          | 290          |                |  | #      | #        |
| 28,5       | 175          | 295          |                |  | #      | #        |
| 29,0       | 175          | 295          |                |  | #      | #        |
| 29,5       | 175          | 295          |                |  | #      | #        |




# NUI - IZAR HSS BOR DIN345



|          |              |              | BILLIG BOR | PRODUKSJONSBOR |        |          |
|----------|--------------|--------------|------------|----------------|--------|----------|
| BOR DIAM | SKJÆR LENGDE | TOTAL LENGDE |            |                | BOR 64 | BOR 1110 |
| 30,0     | 180          | 300          |            |                | #      | #        |
| 30,5     | 180          | 300          |            |                | #      | #        |
| 31,0     | 180          | 300          |            |                | #      | #        |
| 31,5     | 180          | 300          |            |                | ?      | ?        |
| 32,0     | 185          | 335          |            |                | #      | #        |
| 32,5     | 185          | 335          |            |                | ?      | ?        |
| 33,0     | 185          | 335          |            |                | #      | #        |
| 33,5     | 185          | 335          |            |                | ?      | ?        |
| 34,0     | 190          | 340          |            |                | #      | #        |
| 34,5     | 190          | 340          |            |                | ?      | ?        |
| 35,0     | 190          | 340          |            |                | #      | #        |
| 35,5     | 190          | 340          |            |                | ?      | ?        |
| 36,0     | 195          | 345          |            |                | #      | #        |
| 36,5     | 195          | 345          |            |                | ?      | ?        |
| 37,0     | 195          | 345          |            |                | #      | #        |
| 37,5     | 195          | 345          |            |                | ?      | ?        |
| 38,0     | 200          | 350          |            |                | #      | #        |
| 38,5     | 200          | 350          |            |                | ?      | ?        |
| 39,0     | 200          | 350          |            |                | #      | #        |
| 39,5     | 200          | 350          |            |                | #      | #        |
| 40,0     | 200          | 350          |            |                | #      | #        |
| 41,0     | 205          | 355          |            |                | ?      | ?        |
| 42,0     | 205          | 355          |            |                | #      | #        |
| 43,0     | 210          | 360          |            |                | #      | #        |
| 44,0     | 210          | 360          |            |                | #      | #        |
| 45,0     | 210          | 360          |            |                | #      | #        |
| 46,0     | 215          | 365          |            |                | #      | #        |
| 47,0     | 215          | 365          |            |                | #      | #        |
| 48,0     | 220          | 370          |            |                | #      | #        |
| 49,0     | 220          | 370          |            |                | #      | #        |
| 50,0     | 220          | 370          |            |                | #      | #        |

TILGJENGELIG OPP TIL Ø100


# NUI - IZAR HSS BOR DIN341



|          |              |              | MELLOM LANG | PRODUKSJONSBOR |     |          |
|----------|--------------|--------------|-------------|----------------|-----|----------|
| BOR DIAM | SKJÆR LENGDE | TOTAL LENGDE |             |                | BOR | BOR 1130 |
| 12,0     | 134          | 215          |             |                | ?   | ?        |
| 12,5     | 134          | 215          |             |                | ?   | ?        |
| 13,0     | 134          | 215          |             |                | ?   | ?        |
| 13,5     | 142          | 223          |             |                | ?   | ?        |
| 14,0     | 142          | 223          |             |                | ?   | ?        |
| 14,5     | 147          | 245          |             |                | ?   | ?        |
| 15,0     | 147          | 245          |             |                | ?   | ?        |
| 15,5     | 153          | 251          |             |                | ?   | ?        |
| 16,0     | 153          | 251          |             |                | ?   | ?        |
| 16,5     | 159          | 257          |             |                | ?   | ?        |
| 17,0     | 159          | 257          |             |                | ?   | ?        |
| 17,5     | 165          | 263          |             |                | ?   | ?        |
| 18,0     | 165          | 263          |             |                | ?   | ?        |
| 18,5     | 171          | 269          |             |                | ?   | ?        |
| 19,0     | 171          | 269          |             |                | ?   | ?        |
| 19,5     | 177          | 275          |             |                | ?   | ?        |
| 20,0     | 177          | 275          |             |                | ?   | ?        |
| 20,5     | 184          | 282          |             |                | ?   | ?        |
| 21,0     | 184          | 282          |             |                | ?   | ?        |
| 21,5     | 191          | 289          |             |                | ?   | ?        |
| 22,0     | 191          | 289          |             |                | ?   | ?        |
| 22,5     | 198          | 296          |             |                | ?   | ?        |
| 23,0     | 198          | 295          |             |                | ?   | ?        |
| 23,5     | 198          | 319          |             |                | ?   | ?        |
| 24,0     | 206          | 327          |             |                | ?   | ?        |
| 24,5     | 206          | 327          |             |                | ?   | ?        |
| 25,0     | 206          | 327          |             |                | ?   | ?        |
| 26,0     | 214          | 335          |             |                | ?   | ?        |
| 27,0     | 222          | 343          |             |                | ?   | ?        |
| 28,0     | 222          | 343          |             |                | ?   | ?        |
| 29,0     | 230          | 351          |             |                | ?   | ?        |
| 30,0     | 230          | 351          |             |                | ?   | ?        |

TILGJENGELIG OPP TIL Ø40

# NUI - IZAR HSS BOR DIN1870



| LENGDE 1 & 2 |              | LANGEBOR     |  | PRODUKSJONSBOR |          |
|--------------|--------------|--------------|--|----------------|----------|
| BOR DIAM     | SKJÆR LENGDE | TOTAL LENGDE |  | BOR            | BOR 1140 |
| 12,0         | 205          | 310          |  | ?              | ?        |
| 12,0         | 260          | 395          |  | ?              | ?        |
| 13,0         | 205          | 310          |  | ?              | ?        |
| 13,0         | 260          | 395          |  | ?              | ?        |
| 14,0         | 220          | 325          |  | ?              | ?        |
| 14,0         | 275          | 410          |  | ?              | ?        |
| 15,0         | 220          | 340          |  | ?              | ?        |
| 15,0         | 275          | 425          |  | ?              | ?        |
| 16,0         | 230          | 355          |  | ?              | ?        |
| 16,0         | 295          | 445          |  | ?              | ?        |
| 17,0         | 230          | 355          |  | ?              | ?        |
| 17,0         | 295          | 445          |  | ?              | ?        |
| 18,0         | 245          | 370          |  | ?              | ?        |
| 18,0         | 310          | 465          |  | ?              | ?        |
| 19,0         | 245          | 370          |  | ?              | ?        |
| 19,0         | 310          | 465          |  | ?              | ?        |
| 20,0         | 260          | 385          |  | ?              | ?        |
| 20,0         | 325          | 490          |  | ?              | ?        |
| 21,0         | 260          | 385          |  | ?              | ?        |
| 21,0         | 325          | 490          |  | ?              | ?        |
| 22,0         | 270          | 405          |  | ?              | ?        |
| 22,0         | 345          | 515          |  | ?              | ?        |
| 23,0         | 270          | 405          |  | ?              | ?        |
| 23,0         | 345          | 515          |  | ?              | ?        |
| 24,0         | 290          | 440          |  | ?              | ?        |
| 24,0         | 365          | 555          |  | ?              | ?        |
| 25,0         | 290          | 440          |  | ?              | ?        |
| 25,0         | 365          | 555          |  | ?              | ?        |
| 26,0         | 290          | 440          |  | ?              | ?        |
| 26,0         | 365          | 555          |  | ?              | ?        |
| 28,0         | 305          | 460          |  | ?              | ?        |
| 28,0         | 385          | 580          |  | ?              | ?        |
| 30,0         | 305          | 460          |  | ?              | ?        |
| 30,0         | 385          | 580          |  | ?              | ?        |

TILGJENGELIG OPP TIL Ø50 OG I MANGE ½ mm